

# Clearlight® Sanctuary 1 Pro

Clearlight®



#### Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



#### Digital Keypad Controls

temperature, time, lights, heater intensity and reservation mode.



#### Chromotherapy

Your sauna comes standard with Chromotherapy. Choose from one of twelve colors or auto-cycle through all color tones.



#### Smart Device Control (Optional)

Log in from your smart device to remotely operate your sauna.

## Features

### Therapeutic Far Infrared Heaters

Clearlight's exclusive True Wave® Far Infrared heaters are the only patented low EMF full spectrum heaters on the market. True Wave combination carbon/ceramic low EMF / low ELF heaters surround you in healing infrared heat.

### 700 Watts True Wave®

#### Full Spectrum Heaters

Our full spectrum near, mid and far infrared heaters deliver over 20 times the power of the nearest leading competitor. Our patented heating system allows for the deepest penetration with peak performance for the best results.

### Commercial Grade Solid Wood Bench

Relax in comfort with our extra deep commercial grade flat benches.

### Italian Inspired Design & Glass Roof

The open feel and beautiful design of your Sanctuary sauna will compliment every room.

### Replaceable Wood Floor Inserts

For an easy swap that allows your sauna to showcase refreshed flooring.

### Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

### Charging & Audio Station

Charge your tablet or smartphone inside the sauna and connect your favorite audio device with Bluetooth or the included MP3 jack.

### Built-in Ergonomic Backrest

Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

### Combination Door Handle/Tablet Cradle

Place your tablet on the door handle for easy viewing of your favorite shows or movies.

### Chromotherapy

One bank of 96 LED lights 12 colors to choose from, 3 levels of intensity and comes with a remote.

### T-Max Compatible (MT/XT connector required)

### Additional Door Hinge for Stability




### Metal Entry Plate

- 1 Charging station with USB-A port
- 2 Digital touchpad control
- 3 700 W full spectrum heaters

- 4 Replaceable Solid wood floor
- 5 Nakamichi Bluetooth speakers
- 6 Stainless steel hinges

- 7 Single Chromotherapy (96 LED/12 colours)
- 8 Exterior Accent LED lighting
- 9 Stylish door handle/device holder

# Clearlight®





EU — SAUNA FEATURES & SPECIFICATIONS




# Clearlight® Sanctuary 1 Pro

Clearlight®



# Clearlight® Sanctuary 1 Pro

Clearlight®



## Specifications

<b>Construction</b> Eco-certified Okoume exterior/ interior tongue & groove construction	<b>Exterior</b> Width: 109 cm Depth: 122 cm Height: 196 cm Doors: 27.5 cm (x2) x 186 cm Opening: 55 cm	<b>Interior</b> Width: 97 cm Depth: 114 cm Height: 186 cm Bench: 97 cm x 56 cm Bench Height: 51 cm	<b>Heaters</b> True Wave® Far Infrared and Full Spectrum Heaters: <ul style="list-style-type: none"><li>• Far Infrared heaters on the back wall, side walls, under the bench and in the floor.</li><li>• 2 x 700W Full Spectrum heaters on the front wall.</li></ul>	<b>Power</b> 230 V 2150 W	<b>Plug type</b> 16A Type F / 2.45m length	<b>! Important:</b> Make sure the largest panel can fit through all access points from location entrance to the sauna set up location.
<b>Weight</b> 193 kg						

# Clearlight® Sanctuary 1 Pro



## Additional Information

**Installation Recommendations**

- Choose a location with a flat, level surface
- Allow 5 cm clearance on the sides and at the rear of your sauna
- Allow 30 cm of space above the roof
- Ensure access to the powerpoint at all times, to allow for hard reset
- Check your sauna specs for required power amperage

**Surface Requirements**  
Make sure sauna is placed on a level surface

**Tempered Safety Glass Roof**  
W: 57cm (at Smallest)  
(102cm at Widest)  
D: 28cm  
Thickness: 8 mm

**Bench Weight Limit**  
158 kg per person

**Add Ons**  
Can't have both upgrade heater and Red Light installed simultaneously

## Clearlight® Saunas Warranty


Product	Residential-Use Saunas*	Commercial-Use Saunas
Clearlight® Sauna Cabin	Lifetime	5 Years
Controls and Wiring	Lifetime	5 Years
Heater Components	Lifetime	5 Years
Audio Components	Lifetime	5 Years

## Individual panel sizes laying flat (in centimetres)

Panel	Length	Width	Height
Roof	56.5	167	7.5
Floor	121	180	6
Left Side	192	120	10
Right Side	192	120	10
Back Wall	192	167	12

## Electrical Wire Requirements

20 amp saunas are 12 AWG  
Single phase /3 wire: live/neutral/ground - for 230v

 **Important:**  
Make sure the sauna is assembled on a level surface.