

# Clearlight® Sanctuary Outdoor 2



## Features

### Therapeutic Far Infrared Heaters

Clearlight's exclusive True Wave® Far Infrared heaters are the only patented low EMF/ low ELF heaters on the market. True Wave combination carbon/ceramic heaters surround you in healing infrared heat.

### True Wave® Full Spectrum Heaters

Our full spectrum near, mid and far infrared heaters deliver over 20 times the power of the nearest leading competitor. Our patented heating system allows for the deepest penetration with peak performance for the best results.

### Doctor Designed Ergonomic Bench

Relax in comfort in your sauna with our reversible bench.

### Italian Inspired Design & Glass Roof

The open feel and beautiful design of your Sanctuary sauna will compliment every room.

### Built For The Outdoors

Cedartec® exterior finish for durable outdoor use and Okoume interior for that true sauna feel.

### Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

### Charging & Audio Station

Charge your smart device inside the sauna and connect your favorite audio device with Bluetooth or the included MP3 jack.

### Built-in Ergonomic Backrest

Relax and get close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

### Exclusive Under Floor Foot Heater

All Clearlight Outdoor Saunas include a heater underneath the wood floor to enhance your sauna session.

### Combination Door Handle/Tablet Cradle For Easy Media Viewing

Place your tablet on the door handle for easy viewing of your favorite shows or movies.



#### Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



#### Digital Keypad Controls

temperature, time, lights, heater intensity and reservation mode.



#### Chromotherapy

Your sauna comes standard with Chromotherapy. Choose from one of twelve colors or auto-cycle through all color tones.






#### Smart Device Control (Optional)




Log in from your smart device to remotely operate your sauna.

# Clearlight® Sanctuary Outdoor 2

Clearlight®



Clearlight® Sanctuary Outdoor 2



Specifications

<b>Construction</b> Gray Cedartec® Eco-Certified Exterior Okoume Interior Tongue & Groove Construction	<b>Exterior</b> Width: 144 cm Depth: 131 cm Height: 203 cm  Roof Cap: 188 cm x 175 cm Roof Overhang: 21 cm Door: 161 x 60 cm	<b>Interior</b> Width: 130 cm Depth: 117 cm Height: 182 cm  Bench: 127 cm x 56 cm	<b>Heaters</b> True Wave® Far Infrared and Full Spectrum Heaters: <ul style="list-style-type: none"><li>• Far Infrared heaters on the back wall, side walls, under the bench and in the floor.</li><li>• 2 x 500W Full Spectrum heaters on the front wall.</li></ul>	<b>Power</b> 230 V 2400 W  <b>Plug type</b> 16A Commando Plug / 1.8m length	<b>Limited Lifetime Warranty on Components</b> <b>5 Years on the Cabin</b> <b>5 Years Commercial Warranty</b>  Heaters: Lifetime Electrical Controls: Lifetime Cabinetry & Glass: 5 Years
--------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

# Clearlight® Sanctuary Outdoor 2

## Additional Information


<b>Recommended Clearance</b> 10 cm all around if enclosing	<b>Add Ons</b> Can't have both upgrade heater and Red Light installed simultaneously
<b>Weather Precautions</b> 25 cm Snow limit, Wind Rating 35 MPH	<b>Cover Included</b> Includes an outdoor sauna cover for weather protection
<b>Bench Weight Limit</b> 158 kg per person	<b>Surface Requirements</b> It is necessary to place sauna on a raised platform to ensure no water pools under it.
<b>Bench Specifications</b> Fixed Bench Height: 51 cm	

## Additional Build Information

<b>Roof Information</b> <ul style="list-style-type: none"><li>Roof cap is 10 cm deep (top to bottom). The slope inside the roof is 15mm. The overhang at the back is 21 cm</li><li>Height of the unit without the roof cap is 196 cm tall</li><li>Top of roof is a silver color reflective roofing material</li><li>From the floor to the bottom of the glass door is 15.8 cm</li></ul>	<b>Side Windows</b> 42 cm X 164 cm <b>Front Windows</b> 18 cm X 164 cm - Front Sides 60 cm X 161 cm - Glass Door <b>Wall Thickness</b> 6.35 cm <b>Insulation Thickness</b> 4 cm
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Individual panel sizes laying flat (in centimetres)

Panel	Length	Width	Height
Roof	131	144	9
Floor	124.5	138	8
Left Side	181.5	118	10
Right Side	181.5	118	10
Back Wall	181.5	143.5	12.7
Front Wall	181.5	143.5	7.6
Overhang	173.5	185.5	9.5

 **Important:**  
Make sure sauna is assembled on a level surface. Concrete or wooden foundation is needed as a base when placed outside.  
Not recommended for use where temperatures are regularly 4° C or below.  
Make sure largest panel can fit through all access points from location entrance to sauna set up location.

SAUNA MODEL	FS Heaters	Consumption Wattage	Cumulative Consumption RLT Tower [W]	Cumulative Consumption Mini FSH [W]	ANZ Plug type/ length	EU Plug type/ length	UK Plug type/ length
			200	300			
Sanctuary 1 Person	2 x 500W	1,750	1,950	2,050	10A Type I / 2.6m	16A Type F / 2.6m	13A Type G / 2.6m
Sanctuary Pro 1 Person	2 x 700W	2,150	2,350	2,450	10A Type I * / 2.4m	16A Type F / 2.45m	13A Type G / 2.45m
Sanctuary 2 Person	2 x 500W	2,250	2,450	2,550	10A Type I * / 2.6m	16A Type F / 2.6m	13A Type G / 2.6m
Sanctuary Pro 2 Person	2 x 700W	2,650	2,850	2,950	15A Type I / 2.4m	16A Type F / 2.4m	13A Type G * / 2.4m
Sanctuary 3 Person	2 x 500W	2,700	2,900	3,000	15A Type I / 2.6m	16A Type F / 2.6m	13A Type G * / 2.6m
Sanctuary Pro 3 Person	2 x 700W	3,100	3,300	3,400	20A Type I / 2.4m	16A Type F / 2.4m	1.5mm power cord without plug / 2.4m
Sanctuary Corner 4 Person	2 x 500W	3,350	3,550	3,650	20A Type I / 2.6m	16A Type F * / 2.6m	1.5mm power cord without plug / 2.6m
Sanctuary Corner Pro 4 Person	2 x 700W	3,750	3,950	4,050	20A Type I / 2.4m	4 mm power cord without plug / 2.4m	1.5mm power cord without plug / 2.4m
Sanctuary Yoga 4 Person	2 x 500W	3,570	3,770	3,870	20A Type I / 2.6m	16A Type F * / 2.6m	1.5mm power cord without plug / 2.6m
Sanctuary Yoga Pro 4 Person	2 x 700W	3,970	4,170	4,270	20A Type I / 2.4m	4 mm power cord without plug / 2.4m	4 mm power cord without plug / 2.4m
Sanctuary Retreat 4 Person	2 x 500W	3,610	3,810	3,910	20A Type I / 2.6m	4 mm power cord without plug / 2.6m	4 mm power cord without plug / 2.6m
Sanctuary Retreat Pro 4 Person	2 x 700W	4,010	4,210	4,310	20A Type I / 4.5m	4 mm power cord without plug / 4.5m	4 mm power cord without plug / 4.5m
Sanctuary Studio Pro	4 x 700W	7,200	7,400	7,500	4 mm power cord without plug / 2.4m	4 mm power cord without plug / 2.4m	4 mm power cord without plug / 2.4m
Sanctuary Outdoor 2 Person	2 x 500W	2,400	2,600	2,700	20A Type I / 1.8m	16A Commando Plug / 1.8m	16A Commando Plug / 1.8m
Sanctuary Outdoor 5 Person	4 x 500W	3,650	3,850	3,950	20A Type I / 1.8m	32A Commando Plug / 1.8m	32A Commando Plug / 1.8m



Electrical design and power consumption may vary between households. We recommend consulting your electrician to ensure that your circuit and socket meet the sauna’s power requirements.

When using your sauna in a **Commercial Setup**, additional electrical requirements must always be considered. Please consult a qualified electrician to assess whether a dedicated, hardwired circuit is needed.

**\*Add-Ons**  
ANZ: the sauna is designed for use with a 10A power plug.  
EU: the sauna is designed for use with a 16A power plug.  
UK: the sauna is designed for use with a 13A power plug.

When combining Clearlight Add-Ons, additional electrical requirements may need to be considered. Please consult a qualified electrician to assess whether a dedicated, hardwired circuit is needed.