

Clearlight® Sanctuary Outdoor 5



Features

Therapeutic Far Infrared Heaters

Clearlight's exclusive True Wave® Far Infrared heaters are the only patented low EMF/ low ELF heaters on the market. True Wave combination carbon/ceramic heaters surround you in healing infrared heat.

True Wave® Full Spectrum Heaters

Our full spectrum near, mid and far infrared heaters deliver over 20 times the power of the nearest leading competitor. Our patented heating system allows for the deepest penetration with peak performance for the best results.

Chiropractor Designed Ergonomic Bench

Relax in comfort in your sauna with our luxurious recliner bench.

Italian Inspired Design & Glass Roof

The open feel and beautiful design of your Sanctuary sauna will compliment every room.

Built For The Outdoors

Cedartec® exterior finish for durable outdoor use and Okoume interior for that true sauna feel.

Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

Charging & Audio Station

Charge your smart device inside the sauna and connect your favorite audio device with Bluetooth or the included MP3 jack.

Built-in Ergonomic Backrest

Relax and get close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

Exclusive Under Floor Foot Heater

All Clearlight Outdoor Saunas include a heater underneath the wood floor to enhance your sauna session.

Combination Door Handle/Tablet

Cradle For Easy Media Viewing

Place your tablet on the door handle for easy viewing of your favorite shows or movies.



Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



Digital Keypad Controls

temperature, time, lights, heater intensity and reservation mode.



Chromotherapy

Your sauna comes standard with Chromotherapy. Choose from one of twelve colors or auto-cycle through all color tones.





Smart Device Control (Optional)



Log in from your smart device to remotely operate your sauna.

Clearlight® Sanctuary Outdoor 5

Clearlight®



Clearlight® Sanctuary Outdoor 5



Specifications

Construction Gray Cedartec® Eco-Certified Exterior Okoume Interior Tongue & Groove Construction Weight: 476 kg Rated: IPX 4	Exterior Width: 210 cm Depth: 131 cm Height: 203 cm Roof Cap: 252 cm x 173 cm Roof Overhang: 21 cm Door: 161 x 60 cm	Interior Width: 195 cm Depth: 119 cm Height: 182 cm Bench: 193 cm x 56 cm x 51 cm	Heaters True Wave® Far Infrared and Full Spectrum Heaters: <ul style="list-style-type: none">• Far Infrared heaters on the back wall, side walls, under the bench and in the floor.• 4 x 500W Full Spectrum heaters on the front wall.	Power 230 V 3650 W Plug type 32A Commando Plug / 1.8m length	Limited Lifetime Warranty on Components 5 Years on the Cabin 5 Years Commercial Warranty Heaters: Lifetime Electrical Controls: Lifetime Cabinetry & Glass: 5 Years
---	---	---	---	--	---

Clearlight® Sanctuary Outdoor 5

Additional Information

Recommended Clearance 10 cm all around if enclosing	Add Ons Can't have both upgrade heater and Red Light installed simultaneously
Weather Precautions 25 cm Snow limit, Wind Rating 35 MPH	Cover Included Includes an outdoor sauna cover for weather protection
Bench Weight Limit 158 kg per person	Surface Requirements It is necessary to place sauna on a raised platform to ensure no water pools under it.
Bench Specifications Fixed Bench Height: 51 cm	

Additional Build Information


Roof Information <ul style="list-style-type: none">Roof cap is 10 cm deep (top to bottom). The slope inside the roof is 15mm. The overhang at the back is 21 cmHeight of the unit without the roof cap is 196 cm tallTop of roof is a silver color reflective roofing materialFrom the floor to the bottom of the glass door is 15.8 cm	Front Windows 42 cm X 164 cm - Front Sides 60 cm X 161 cm - Glass Door
	Wall Thickness 6.35 cm
	Insulation Thickness 4 cm
	Bench Specifications* Fixed Bench Height: 51 cm* Flat or in Recline position
Side Windows 42 cm X 164 cm	

Individual panel sizes laying flat (in centimetres)

Panel	Length	Width	Height
Roof	131	210	9
Floor	124.5	202.5	8
Left Side	181.5	118	10
Right Side	181.5	118	10
Back Wall	181.5	209	12.7
Front Wall	181.5	209	7.6
Overhang	173.5	250	9.5

Electrical Wire Requirements

15 amp saunas are 14 AWG Single phase / 3 wire: 2 x live/ground - for 230v

 **Important:**

Make sure sauna is assembled on a level surface. Concrete or wooden foundation is needed as a base when placed outside.

Not recommended for use where temperatures are regularly 4° C or below.

Make sure largest panel can fit through all access points from location entrance to sauna set up location.